



FEBRUARY 2006



PHONE: (03) 9768 3371

FAX: (03) 9768 3372

www.uwd.com.au sales@uwd.com.au

TERMS & CONDITIONS

WARRANTY INFORMATION

All products have a manufacturer's warranty against faulty workmanship and materials. This warranty does not apply to normal wear and tear items.

The guarantee does not extend to situations where the product has been subject to misuse or abuse. This policy applies specifically when the use of the product has not complied with its specific purpose or design.

Products faulty due to workmanship and/or materials, must be returned to the warranty agent specified by Universal Wholesale Distributors. Responsibility lies with reseller or customer to return to and collect the goods from the specified warranty agent. Product will be repaired or replaced at the discretion of Universal Wholesale Distributors.

RESERVATION OF TITLE

Title of goods shall remain with Universal Wholesale Distributors until full payment of the purchase price has been received.

In the event that the purchaser has forfeited payment the purchaser agrees that Universal Wholesale Distributors may lawfully seize and repossess any products which belong to Universal Wholesale Distributors.

The purchaser will be liable for any fees and charges which arise from such action.



INDEX

AIR EQUIPMENT

Air Tools	Air Cut Off Tools	4
	Air Die Grinders	4
	Air Drills	4
	Air Hammers	4
	Air Impact Guns	4
	Air Riveters	4
	Kits	4-5
Compressors	Air Brush	5
	Belt Drive	5-6
	Direct Drive	5
	Petrol Powered	6
	Stationary	6
	Kits	6-7
Nail & Staple Guns	Bradders	7
	Coil Guns	7
	Floor Staplers	7
	Framing Guns	7
	T Nailers	8
Spray Guns	Air Brush Guns	8
	Gravity Feed	8
	Pots	9
	Pressure Pots	8
	Suction Feed	8
Accessories	Air Dusters	9
	Air Hose	9
	Filters & Regulators	9-10
	Kits	10
	Switches	10
	Fittings	10-11

AUTOMOTIVE WORKSHOP

Battery Chargers	12
Porta Powers	12
Presses	12

CONSTRUCTION

Concrete Mixers	13
Demolition Saws	13
Ladders - Extension	13
- Step	13
Plate Compactors	14
Scaffolding	14

GENERATORS

Diesel	14
Petrol	14

HAND TOOLS

Adjustable Wrenches	15
Locking Pliers	15
Socket Sets	15

LIFTING & MATERIALS HANDLING

Cable Pullers	16
Jockey Wheels	16
Tie Downs	16
Winches	17

POWER-GARDEN

Chainsaws	17
Hedge Trimmers	17
Line Trimmers	17
Rotary Hoes	17

POWER-TOOLS

Drill Presses	18
Sliding Compound Mitre Saws	18
Demolition Hammer Accessories	18

PUMPS

Airless Spray Units	19
Petrol	19
Pressure Washers	19

RECREATIONAL VEHICLES & EQUIPMENT

Go Karts	20
Trailers	20
Sea Scooter	20
Golf Buggies	21
Golf Carts	21
Quad Bikes	22
Motorcycles	23

WOODWORKING

Bandsaws	24
Dust Collectors	24
Sanders	24
Thicknessers	24
Wood Lathes	24

WELDING-EQUIPMENT

Arc Welders	25
Inverters & Tig Welders	25-26
Mig Welders	25-26
Automotive Spotters	26
Spot Welders	26-28
Oxy Kits	28

JETAT-6027
3" CUT OFF TOOL



- * No load speed: 20,000rpm
- * 3" disc capacity
- * Maximum pressure: 90psi
- * Air consumption: 4cfm
- * Net weight: 0.75kg



JETAT-7033K
1/4" DIE GRINDER KIT



- * No load speed: 22,000rpm
- * Maximum pressure: 90psi
- * Comes in plastic carry case with: 5 x 1/8" grinding stones
5 x 1/4" grinding stones
Extra 3mm collet, nipple and Nitto style fitting



JETAT-4031C
3/8" REVERSIBLE DRILL
KEYLESS CHUCK



- * No load speed: 1,800rpm
- * Reversible
- * 3/8" (10mm) keyless chuck
- * Lightweight



JETAT-2012KR
AIR HAMMER KIT



- * 4000 stroke/min
- * Spring retainer
- * Oil pot included
- * Includes:
 - 2 x 125mm chisels
 - 1 x 125mm metal sheet cutter
 - 1 x 125mm point



JETAT-5060
3/4" DVE AIR IMPACT WRENCH



- * 500ft-lbs maximum torque
- * No load speed: 5,500rpm
- * Reversible
- * Multi-torque settings
- * Aluminium housing
- * Gross weight: 5kg



JETAT-6082P
1" AIR IMPACT WRENCH



- * 1700ft-lbs maximum torque
- * No load speed: 4,500rpm
- * Reversible
- * 3 torque settings
- * Two convenient handles
- * Aluminium housing
- * Heavy duty
- * Gross weight: 16kg



JETAT-6015
3/16" AIR HYDRAULIC RIVETER



- * Contains 4 nose pieces
 - 3/16" (4.8mm)
 - 5/32" (4.0mm)
 - 1/8" (3.2mm)
 - 3/32" (2.4mm)
- * Traction power: 1586lbs/720kg



JETAT-5004
17PC 1/2" DVE IMPACT WRENCH
KIT



- Includes:
 - Impact Wrench
 - * 230ft-lbs maximum torque
 - * 7000rpm no load speed
 - * 4 torque settings
 - * reverse
- Sockets (includes 10)
 - * 9mm - 27mm
 - * 120mm extension



JETAT-5000

1/2" IMPACT & RATCHET WRENCH KIT



Includes:

Impact Wrench

- * 230ft-lbs maximum torque
- * 7000rpm no load speed

Ratchet

- * 50ft-lbs maximum torque
- * 160rpm no load speed

Sockets (includes 10)

- * 9mm - 27mm



JETAT-5008

42PC AIR TOOL KIT



Includes:

- 1/2" dve impact wrench
- 1/4" die grinder
- 3/8" reversible air drill
- 190mm air hammer
- 150mm rotary orbital sander
- Accessories

Comes in plastic carry case



JETMA-1000

MINI AIR BRUSH COMPRESSOR



- * 1/8hp motor
- * 30psi working pressure
- * 3.6m recoil air hose
- * Extremely quiet
- * Suction feet
- * Air brush holder
- * Carry handle
- * Weight: 2kg



JETTD-2516T

2.5HP COMPRESSOR TWIN TANKS



- * Direct drive
- * 7.3cfm displacement
- * 2 x 8lt tanks
- * Thermal overload
- * Filter regulator
- * Pressure gauge
- * Gross weight: 28kg



JETTD-2516HN

2HP UTE COMPRESSOR



- * Direct drive
- * 2.0hp motor
- * 6cfm displacement
- * 16lt tank capacity
- * Thermal overload
- * Filter regulator
- * 2 x pressure regulators
- * Carry handle
- * Gross weight: 28kg



JETTD-2021

2HP COMPRESSOR WITH 21LT TANK



- * Direct drive
- * 2.5hp motor
- * 7.3cfm displacement
- * Regulator
- * Pressure gauge
- * Rubber wheels
- * Thermal overload
- * Gross weight: 36kg



JETTD-2540

2.5HP COMPRESSOR 40LT TANK



- * Direct drive
- * 2.5hp motor
- * 7.3cfm displacement
- * Regulator
- * Pressure gauge
- * Rubber wheels
- * Thermal overload
- * Gross weight: 36kg



JETTH-2550

2.5HP BELT DRIVE COMPRESSOR 50LT TANK



- * 2.5hp motor
- * 8.2cfm displacement
- * Maximum pressure: 115psi
- * Filter regulator
- * Pressure gauge
- * Pneumatic tyres
- * Thermal overload
- * 10amp power required
- * Gross weight: 85kg



JETTH-5550P

5.5HP PETROL ENGINE
COMPRESSOR WITH 50LT TANK

- * 4 stroke engine
- * 12.2cfm displacement
- * Maximum pressure: 115psi
- * Pneumatic tyres
- * Alloy pump
- * Auto idle
- * Filter regulator



JETTB50150

5HP STATIONARY COMPRESSOR
WITH 150LT
TANK

- * 24cfm pump displacement
- * 16cfm free air delivery
- * 5.5hp induction motor
- * Thermal overload
- * 2 air outlets
- * Cast iron pump
- * Automatic pressure control switch
- * Gross weight: 185kg



JETTB75150

7.5HP STATIONARY
COMPRESSOR WITH 150LT TANK

- * 32cfm pump displacement
- * 24cfm free air delivery
- * 7.5hp induction motor
- * Thermal overload
- * 2 air outlets
- * Cast iron pump
- * Automatic pressure control switch
- * Gross weight: 200kg



JETTB100150

10HP STATIONARY COMPRESSOR
WITH 150LT TANK

- * 42cfm pump displacement
- * 28.3cfm free air delivery
- * 10hp induction motor
- * Thermal overload
- * 2 air outlets
- * Cast iron pump
- * Automatic pressure control switch
- * Gross weight: 250kg



JETTD2021DA64

AIR COMPRESSOR &
DA BRADDER KIT

- * Includes TD2021 2hp/21lt tank compressor and DA64 angle bradder
- * 30m airline hose
- * Quick release hose fittings



JETTD20219034

AIR COMPRESSOR &
FRAMING GUN KIT

- * Includes TD2021 2hp/21lt tank compressor and 9034 50 - 90mm framing gun
- * 30m airline hose
- * Quick release hose fittings



JETTD2040AT5000

AIR COMPRESSOR &
IMPACT/RATCHET
WRENCH KIT


- * Includes TD2040 2hp/40lt tank direct drive compressor and AT5000 impact/ratchet wrench kit
- * 10m airline hose
- * Quick release hose fittings



JETTD2040AT5004

AIR COMPRESSOR &
17PC 1/2" DVE IMPACT
WRENCH KIT

- * Includes TD2040 2hp/40lt tank direct drive compressor and AT5004 1/2" dve impact wrench kit
- * 10m airline fittings
- * Quick release hose fittings



JETTD2040S770
AIR COMPRESSOR AND
SPRAY GUN KIT

- * Includes TD2040 2hp/40lt tank direct drive compressor and S770 suction feed spray gun with 2mm nozzle
- * 10m airline hose
- * Quick release hose fittings



JETF50/9040
2 IN 1 AIR STAPLER/
NAILER

- Uses:
- C100 18 gauge nails (10-50mm)
 - 6000 series staples (16-40mm)
 - * 100 nail magazine capacity
 - * Single fire system
 - * Adjustable exhaust
 - * Low nail lock out system
 - * Hardened steel nose
 - * Includes plastic carry case



JETLT50
50MM C BRADDER

- * 20 - 50mm nail length capacity
- * 16 gauge nail type
- * 50 nail magazine capacity
- * Single fire system
- * Adjustable exhaust
- * Low nail lock out system
- * Comes in plastic carry case



JET1564
DA BRADDER 64MM CAPACITY

- * 32 - 64mm nail length capacity
- * 15 gauge nail type
- * 100 nail magazine capacity
- * Single fire system
- * Adjustable exhaust
- * Quick-release nose
- * Fine depth adjustment
- * Comes in plastic carry case



JETCN65
COIL NAILER 65MM

- * Plastic collated: 45 - 65mm nail capacity
- * Wire collated: 32 - 65mm nail capacity
- * 2.87mm - 3.3mm nail diameter
- * Single fire system
- * Lightweight strong plastic magazine
- * Comfortable rubber grip
- * Hardened steel nose
- * Comes in plastic carry case



JETC-80
COIL NAILER 75MM

- * 45 - 75mm nail capacity
- * Wire collated nails only
- * 2.87mm - 3.3mm nail diameter
- * Single fire system
- * Adjustable exhaust
- * Lightweight strong plastic magazine
- * Comfortable rubber grip
- * Hardened steel nose
- * Comes in plastic carry case



JETFS
FLOOR STAPLER

- * Uses Bostitch type staples
- * Includes rubber mallett
- * Aluminium body
- * Composite nylon base plate
- * Staple crown dimensions:
12.7mm x 1.9mm x 1.6mm



JET9034
FRAMING NAILER 34
DEGREE

- * 50-90mm nail length capacity
- * 2.87mm - 3.3mm nail diameter
- * Uses Senco type nails
- * 65 nail magazine capacity
- * Single fire system
- * Adjustable exhaust
- * Low nail lock out system
- * Anti-skid bumpers
- * Hardened steel nose
- * Includes plastic carry case
- * Suitable for soft woods



JETST-64B
JETSTREAM T-NAILER



- * 18-64mm nail length capacity
- * 14 gauge JT/JF nail diameter
- * 80 nail magazine capacity
- * Single fire system
- * Adjustable exhaust
- * Hardened steel nose
- * Includes plastic carry case



JETAB-1001
AIR BRUSH KIT



- * Ideal for water-based paints, enamels, lacquers and even rust-proofing.
- * Includes:
 - fine-head air brush
 - 2 paint jars
 - regulator with on/off function
 - 1.41m vinyl air hose
- * Perfect for fine work
- * Spray pattern adjusts from 1/4" to 1-1/2"



* For use with air compressor or propellant can

JETAS-1001
HVLP MINI SPRAY GUN
GRAVITY FEED



- * 0.8mm nozzle
- * 100ml pot
- * Plastic cup with throttle strainer
- * Adjustable spray and output
- * Aluminium spray gun
- * 2 step trigger control



JETS770
SPRAY GUN
SUCTION FEED



- * 2.0mm nozzle
- * 1000ml aluminium pot



JETAS-1004
HVLP SPRAY GUN



- * 1.4mm nozzle
- * 600ml pot
- * Plastic cup with throttle strainer
- * Adjustable spray and output
- * Aluminium spray gun
- * 2 step trigger control



JETAS-1006H
HVLP SPRAY GUN
GRAVITY FEED



- * 1.4mm nozzle
- * 600ml pot
- * Plastic cup with throttle strainer
- * Adjustable spray and output
- * Aluminium spray gun
- * 2 step trigger control
- * Comes with regulator and gauge



JETAS-1010
TOUCH UP SPRAY GUN



- * 1.5mm nozzle
- * 200ml aluminium pot
- * Adjustable spray pattern 130 - 180mm
- * Adjustable paint volume output
- * Aluminium spray gun



JETAS-1080
4LT PRESSURE POT GUN
& HOSE



- * Air regulator
- * Adjustable spraying pattern
- * Adjustable paint volume output
- * Pressure gauge
- * 3m PVC hose
- * Fluid outlet
- * 2mm nozzle
- * Weight: 8kg



JETC5
1000ML CUP
1/2" BSP outlet



JETC6
1000ML CUP
1/4" BSP outlet

JETAA-5006
AIR BLOW GUN 100MM



* 100mm (4") nozzle length

JETAA-5005
WONDER GUN BLOW AND
VACUUM GUN

- * Sturdy cloth vacuum bag with zip
- * Gun made of strong steel
- * 1.2m hose length



JETPV3810
10M AIR HOSE 10MM
INCLUDES COUPLING

JETPV3820
20M AIR HOSE 10MM
INCLUDES COUPLINGS

JETPV3830
30M AIR HOSE 10MM
INCLUDES COUPLINGS



- * 10m PVC hose
- * Nitto style fittings included
- * Abrasion resistant
- * Ideal for light trade use, DIY and home use



JETHR3850P
15M RETRACTABLE HOSE 10MM

- * 3/8" x 50ft hose
- * Self-retracting
- * Hose locks at desired length
- * Carry handle for portability
- * Includes detachable mounting bracket
- * Adjustable hose stop
- * Corrosion resistant
- * Weight: 8.2kg



JETAA-5000K
5PCE AIR KIT

- Kit includes:
- * tyre inflator
 - * degreaser
 - * air duster
 - * spray gun
 - * 5m coil style low pressure air hose



JETAA-5018K
18PCE AIR ACCESSORY KIT

- * 1 x Tyre Inflator
- * 1 x Tyre Pressure Gauge
- * 1 x Tyre Valve Remover
- * 1 x Wire Brush - Cleaning Tool
- * 1 x Ball Inflator
- * 1 x Blower
- * 7 x Various Attachments For Blower
- * 2 x Spare Tyre Valves
- * 1 x Coupling - Nitto Style - 1/4" BSP (British Standard Pipe)



JETAA-2002
1/4" WATER SEPARATOR



JET6001
1/4" FILTER REGULATOR
DIRECT MOUNT



- * 2 outlets
- * 3/8" BSP mount



JETAA-2001
1/4" AIR REGULATOR



- * 160psi maximum working pressure displayed
- * 125psi maximum recommended air pressure



JETAIRCO KIT



- Pressure switch complete with 1/4" air regulator and tap.
- * To suit direct drive and belt drive compressors
 - * 240v



JET5001
PRESSURE SWITCH
CONDOR STYLE
240V



JET5005
PRESSURE SWITCH
GERMAN TYPE
240V



JETPF2A
1/4" BSP FEMALE ADAPTOR
NITTO STYLE



- * Set of 10 fittings



JETPH3A
3/8" HOSE TAIL ADAPTOR
NITTO STYLE



- * Set of 10 fittings



JETPM2A
1/4" BSP MALE ADAPTOR
NITTO STYLE



- * Set of 10 fittings



JETQC2
2 WAY QUICK COUPLER
NITTO STYLE



JETQC-2B-SET
2 WAY QUICK COUPLER
NITTO STYLE



* Includes Nitto fitting



JETQC3A
3 WAY QUICK COUPLER
NITTO STYLE



JETQC3B-SET
3 WAY QUICK COUPLER
QUICK RELEASE NITTO
STYLE



JETSF2A
1/4" BSP FEMALE COUPLING
QUICK RELEASE NITTO
STYLE



* Set of 5 fittings



JETSH3A
3/8" HOSE BARB COUPLING
NITTO STYLE



JETSM2A
1/4" BSP MALE COUPLING
QUICK RELEASE NITTO
STYLE



* Set of 5 fittings



Can't see what you're looking for?
We can help!

RHRCB15
BATTERY CHARGER
12AMP 12/24V



- * Suitable for 12v and 24v batteries
- * Maximum current: 12amp
- * Boost charge feature
- * Amperage gauge
- * Temperature and overload protection



RHRCB18
BATTERY CHARGER
15AMP 12/24V



- * Suitable for 12v and 24v batteries
- * Maximum current: 15amp
- * Boost charge feature
- * Amperage gauge
- * Temperature and overload protection



RHRCB50
BATTERY CHARGER
45AMP 12/24V



- * Suitable for 12v and 24v batteries
- * Maximum current: 45amp
- * Boost charge feature
- * Amperage gauge
- * Temperature and overload protection



RHRC400
BATTERY CHARGER
40AMP 12/24V



- * Suitable for 12v and 24v batteries
- * Maximum current: 40amp
- * Jump start current: 240amp
- * Amperage gauge
- * Inbuilt timer
- * Spare fuses
- * Gross weight: 24kg



RHRC600
BATTERY CHARGER
60AMP 12/24V



- * Suitable for 12v and 24v batteries
- * Maximum current: 60amp
- * Jump start current: 560amp
- * Amperage gauge
- * Inbuilt timer
- * Spare fuses
- * Gross weight: 25kg



TITT71001S
PORTA POWER 10 TON
Hydraulic body/Frame repair kit



- Includes:
- Ram unit & pump
 - Extension bar (127mm, 250mm, 456mm & 685mm)
 - Hydraulic hose
 - Accessories
- Comes in blow mould case
* Weight: 37.5kg



TITHYC30
30 TON SHOP PRESS



- * 30,000kg press capacity
- * H-style
- * Working range: 0 - 770mm
- * Manually operated
- * Gross weight: 153kg



TITHYCQ50
50 TON SHOP PRESS



- * 50,000kg press capacity
- * H-style
- * Working range: 0 - 735mm
- * Pneumatic pump or manually operated
- * Gross weight: 315kg



RHRJB100L
3CF DRUM CONCRETE MIXER



- * Drum capacity: 3.5 Ft³ (100lt)
- * Output: 1.7 Ft³, 135 lbs (50 litres)
- * 450W motor
- * Drum speed: 18/22 rpm



RHRCM600C
5CF CONCRETE MIXER
BELLE STYLE WITH STAND



- * Drum capacity: 5 Ft³ (141.6lt)
- * Output: 2.5 Ft³, 270 lbs (70.8 litres/122.5kg)
- * 0.5hp motor 1680rpm
- * Thermal overload protection
- * Gross weight: 50kg



Includes stand

PMXXYGC700
70CC DEMOLITION SAW
350MM BLADE



- * 2 stroke engine
- * 125mm cutting depth
- * Decompression valve
- * Kill switch
- * Recoil start
- * 0.7lt fuel tank capacity
- * Dry weight without blade: 10kg
- * Wet concrete cutting blade supplied



TITLCS330GFC
5270MM FIBREGLASS
EXTENSION LADDER



- * 130kg load rating
- * 3170mm - 5270mm extended
- * Fibreglass rails
- * Slip-resistant rubber feet
- * Aluminium steps
- * Weight: 24kg



TITLCS430GFC
7670MM FIBREGLASS
EXTENSION LDDER



- * 130kg load rating
- * 4370mm - 7670mm extended
- * Fibreglass rails
- * Slip-resistant rubber feet
- * Aluminium steps
- * Weight: 24kg



TITLFD180GFC
1710MM FIBREGLASS
DOUBLE SIDED
STEP LADDER



- * 130kg load rating
- * Fibreglass rails
- * Slip-resistant rubber feet
- * Aluminium steps
- * Weight: 16.5kg



TITLFD240GFC
2280MM FIBREGLASS
DOUBLE SIDED
STEP LADDER



- * 130kg load rating
- * Fibreglass rails
- * Slip-resistant rubber feet
- * Aluminium steps
- * Weight: 16.5kg



TITLFD300GFC
2855MM FIBREGLASS
DOUBLE SIDED
STEP LADDER



- * 130kg load rating
- * Fibreglass rails
- * Slip-resistant rubber feet
- * Aluminium steps
- * Weight: 20kg



TITST6X6X29
SCAFFOLD MOBILE



- * 455kg load capacity
- * 4 caster wheels with brakes
- * Working height: 600mm to 1200mm
- * Working surface: 1700mm (l) x 730mm (w)
- * Steel scaffold
- * Easy assembly
- * Gross weight: 68kg



PMXC60
60KG PLATE COMPACTOR



- * 5.5hp 4 stroke OHV engine
- * 1030kg impact force
- * True verticle compaction
- * Single direction unit
- * Durable steel-enclosed base
- * Low oil cut-out
- * 3.6lt fuel tank capacity
- * Gross weight: 65kg



PMXC90
88KG PLATE COMPACTOR



- * 5.5hp 4 stroke OHV engine
- * 1550kg impact force
- * True verticle compaction
- * Single direction unit
- * Durable steel-enclosed base
- * Low oil cut-out
- * 3.6lt fuel tank capacity
- * Gross weight: 95kg



PMXC120
115KG PLATE COMPACTOR
5.5HP MOTOR



- * 5.5hp 4 stroke OHV engine
- * 2100kg impact force
- * True verticle compaction
- * Single direction unit
- * Durable steel-enclosed base
- * Low oil cut-out
- * 3.6lt fuel tank capacity
- * Gross weight: 115kg



PMXC160
160KG PLATE COMPACTOR
5.5HP MOTOR



- * 5.5hp 4 stroke OHV engine
- * 2700kg impact force
- * True verticle compaction
- * Single direction unit
- * Durable steel-enclosed base
- * Low oil cut-out
- * 3.6lt fuel tank capacity
- * Gross weight: 155kg



PMXGFH6500S
6.5KVA GENERATOR MANUAL
START



- * Continuous power: 5kva
- * Maximum power: 5.5kva
- * 13hp 4 stroke engine
- * Tank capacity: 25lt
- * Circuit breaker
- * 2 x AC sockets
- * 2 x AC outlets
- * Net weight: 83kg



Models come with either recoil or electric start/recoil start

PMXGFH65000E
6.5KVA GENERATOR
ELECTRIC START

PMX5GF-LDE
5.5KW DIESEL GENERATOR
SILENCED



- * Continuous power: 4.5kw
- * Maximum power: 5.5kw
- * 10hp diesel motor
- * Electric start
- * 12v/8.3amp DC output
- * Tank capacity: 16lt
- 2 x AC outlets
- 1 x DC outlet
- * Net weight: 175kg



PMX15GF
15KW DIESEL
GENERATOR



- * 15KW
- * Three cylinder
- * Diesel motor
- * Electric key start
- * Battery included
- * Water cooled
- * Single phase: 240v
- * Motor speed: 1,500rpm
- * Instrument panel fitted
- * Heavy Duty
- * Gross weight: 670kg



ADJUSTABLE WRENCHES

Made from drop forged steel



- TITTA-AW6** 150mm (6")
- TITTA-AW8** 200mm (8")
- TITTA-AW10** 250mm (10")
- TITTA-AW12** 300mm (12")
- TITTA-AW18** 450mm (18")
- TITTA-AW24** 600mm (24")



LOCKING PLIERS

Steel with nickel finish



- TITL1-5** 250mm (5")
- TITL1-7** 175mm (7")
- TITL1-10** 250mm (10")



TITXH1014

1/2" DVE 32PC SOCKET SET
METRIC



Drop forged steel and chrome plated

Includes

- * Sockets: 8-32mm
- * 1 x ratchet
- * 1 x flex handle
- * 2 x Extension bar
- * 1 x Sliding T-bar

In plastic carry case



TITXH1024

1" DVE 21PC SOCKET SET
AF



Drop forged steel and chrome plated

Includes

- * Sockets: 7/8" - 2"
- * 1 x ratchet
- * 1 x flex head
- * 1 x Extension bar
- * 1 x Sliding T-bar
- * 1 x Drive rod

In steel carry case



TITXH1025

3/4" & 1" DVE 26PC
SOCKET SET



Drop forged steel and chrome plated

Includes

- * Sockets: 3/4" dve: 21 - 50mm
1" dve: 55 - 65mm
- * 1 x Ratchet handle/sliding t bar
- * 1 x 3/4" dve ratchet head
- * 2 x Extension bar - 7 1/2" & 20"
- * 1 x Flex head

In plastic carry case



TITXH1027

3/4" DVE 27PC SOCKET SET
AF & METRIC



Drop forged steel and chrome plated

Includes

- * Sockets: AF 7/8" - 2"
MET: 22 - 50mm
- * 1 x ratchet
- * 2 x Extension bar - 3" & 7"
- * 1 x Sliding T-bar
- * 1 x Drive rod

In plastic carry case



TITXH1029

1" DVE 29PC SOCKET SET
METRIC



Drop forged steel and chrome plated

Includes

- * Sockets: 30mm - 80mm
- * 1 x ratchet
- * 1 x flex handle
- * 2 x Extension bar
- * 1 x Sliding T-bar

In steel carry case



TITFP1"80

1" DVE 8PC IMPACT SOCKET
SET METRIC



Made of chrome & Molybdenum steel

Includes

- * Sockets: 21mm - 41mm

In carry case



TITH1
2 TON HAND PULLER
TWO HOOKS SINGLE GEAR



- * Pulling capacity: 2 Ton
- * Lifting capacity: 900kg
- * 1.5m cable length
- * 2 x drop forged steel slip hooks for heavy loads
- * Galvanised heavy gauge steel 1/4" aircraft cable
- * Thumb control release for maximum safety



TITH13
4 TON HAND PULLER
THREE HOOKS TWO GEAR



- * Pulling capacity: 4 Ton
- * Lifting capacity: 1800kg
- * 2.9m cable length
- * 3 x drop forged steel slip hooks for heavy loads
- * Galvanised heavy gauge steel 1/4" aircraft cable
- * Thumb control release for maximum safety



TITT1
TIE DOWNS 25MM
RATCHET



- * 5m length x 25mm belt



TITT3
TIE DOWNS 7.55M
50MM HEAVY DUTY



- * 7.55m length x 50mm belt



TITT4
TIE DOWNS 7.55M
50MM STANDARD DUTY



- * 7.55m length x 50mm belt



TITT5
TIE DOWNS
4PC PACK



- * 5m length



TITW3-2000LBS
HAND WINCH
8M X 50MM TERYLENE BELT



- * Traction capacity: 905kg (2000lbs)
- * Gear ratio: 3.4.1.
- * 5m belt length
- * Terylene belt 50mm wide
- * Mooring hook equipment with a safety pawl
- * Comfortable plastic handle



TITW4-2000LBS
HAND WINCH
STEEL ROPE



- * Traction capacity: 905kg (2000lbs)
- * Gear ratio: 3.4.1.
- * 10m cable length
- * Galvanized aircraft cable heavy gauge steel 4.5mm
- * Comfortable plastic handle



TITJ5
JOCKEY WHEEL SWIVEL TYPE
WITH SWIVEL HANDLE
SOLID RUBBER WHEEL



- * 1000lbs capacity
- * Gross weight: 8kg



PMXLT87102
6.5HP ROTO TILLER
600MM WIDE

- * 6.5hp 4 stroke OHV engine
- * 405mm tilling width
- * 200mm tilling depth
- * Rear mounted standard rotating bolo tines
- * Depth regulator
- * Gross weight: 78kg



PMXGS-SPS02G-45
45CC CHAINSAW



- * 2 stroke motor
- * 45cm/18" bar and chain
- * Anti-vibration system
- * Side-adjusting chain tensioner
- * Comfortable rubber handle
- * Lightweight
- * Gross weight: 9kg



PMXXYGC450
45CC CHAINSAW 18"
BAR



- * 2 stroke motor
- * 45cm/18" bar and chain
- * Anti-vibration system
- * Side-adjusting chain tensioner
- * Comfortable rubber handle
- * Heavy duty
- * Italian made carburettor
- * Gross weight: 9kg



PMXXY560
33CC HEDGE TRIMMER
22" TWIN BLADE



- * 2 stroke engine
- * Twin blade
- * 0.7lt fuel tank capacity
- * Ergonomic plastic handle
- * Blade cover included
- * Gross weight: 9kg



PMXXY735
33CC HEDGE TRIMMER
29" SINGLE BLADE



- * 2 stroke engine
- * Single-sided blade
- * 0.7lt fuel tank capacity
- * Ergonomic plastic handle
- * Blade cover included
- * Gross weight: 9kg



PMXGC260E
25.4CC LINE TRIMMER



- * 2 stroke engine
- * Bent shaft
- * Includes guard, bump feed head and shoulder strap
- * Net weight: 6.1kg



PMXXYG05
26CC BRUSHCUTTER



- * 2 stroke engine
- * Straight shaft
- * Bullbar handles
- * 1lt tank capacity
- * Nylon shoulder strap



PMXSMFC-G402

49CC BILLY CART
2 STROKE

- * Air-cooled engine
- * Maximum speed: 55kmh
- * Tank capacity: 1lt
- * Disc brakes
- * Recoil start
- * Racer handle steering



POWERMAX

PMXXT50GK-2

50CC GO KART
2 SEATER

- * 4 stroke air cooled engine
- * Remote start/stop control
- * Front and rear disk brakes
- * Manual gearbox forward
- * Centrifugal clutch
- * Independent front suspension
- * Electric key start
- * Bench seat
- * 2.5lt fuel tank capacity
- * Maximum speed: 25kmh
- * Gross weight: 72kg



POWERMAX

* Maximum passenger height: 145cm

PMXXT50GK-2A

50CC GO KART
2 SEATER

- * 4 stroke air cooled engine
- * Remote start/stop control
- * Front and rear disk brakes
- * Manual gearbox forward/reverse
- * Centrifugal clutch
- * Independent front suspension
- * Electric key start
- * Moulded racing seats
- * 2.5lt fuel tank capacity
- * Maximum speed: 25kmh
- * Gross weight: 82kg



POWERMAX

* Maximum passenger height: 145cm

PMXGO-KART5

150CC GO KART
1 SEATER

- * 4 stroke air cooled engine
- * Front and rear disk brakes
- * Automatic Constant Variable Transmission
- * Independent front and rear suspension
- * Electric key start
- * 7lt fuel tank capacity
- * Gross weight: 200kg



POWERMAX

PMXGO-KART2

150CC GO KART
2 SEATER

- * 4 stroke air cooled engine
- * Front and rear disk brakes
- * Automatic Constant Variable Transmssion
- * Reverse & handbrake
- * Independent front and rear suspension
- * Electric key start
- * 7lt fuel tank capacity
- * Gross weight: 200kg



POWERMAX

PMXXT250GK

250CC GO KART
2 SEATER 4 STROKE

- * 4 stroke air cooled engine
- * Front and rear disk brakes
- * Automatic Constant Variable Transmssion
- * Reverse and handbrake
- * Independent front and rear suspension
- * Electric key start
- * 7lt fuel tank capacity
- * Gross weight: 270kg



POWERMAX

TITNG272-1

TRAILER WITH
CLOSING RAMP

Ideal for quad bikes

- * Complete with lights & wiring
- * Australian approved coupling
- * Compliance plate
- * Can be registered for road use



TITAN

PMXHB-SS05

SEA SCOOTER

- * 12v rechargeable battery
- * 4-6 hour battery charge time
- * 20m maximum diving depth
- * Speed: up to 3km/h
- * Carrying capacity: up to 90kg
- * Pump and carry bag included
- * Gross weight: 13.5kg



POWERMAX

RHRM819
AIRLESS SPRAY UNIT

POWERMAX



- * 7/8hp motor
- * 15m high pressure hose
- * 2856psi maximum pressure
- * 1.9lt/min delivery
- * Safety lock on trigger
- * Pneumatic tyres
- * Aluminium pump

PMXWP20X
2" WATER PUMP
5.5HP MOTOR

POWERMAX



- * 2" suction port diameter
- * 4 stroke OHV engine
- * Recoil starter
- * Strong steel rollover cage
- * Self-priming water pump
- * Rubber feet
- * Delivery volume: 600L/min
- * 3.6lt fuel tank capacity
- * Gross weight: 33kg

PMXWP30X
3" WATER PUMP
6.5HP MOTOR

POWERMAX



- * 3" suction port diameter
- * 4 stroke OHV engine
- * Recoil starter
- * Strong steel rollover cage
- * Self-priming water pump
- * Rubber feet
- * Delivery volume: 1,000L/min
- * 3.6lt fuel tank capacity
- * Gross weight: 33kg

PMXQL150-6.5
PRESSURE WASHER
6.5HP MOTOR

POWERMAX



- * 6.5HP 4 stroke OHV engine
- * 2500psi maximum pressure
- * 10.5lt/min. water delivery
- * 10m high pressure hose
- * 4 different nozzles included
- * Variable pressure control
- * Pull start
- * 3.6m fuel tank capacity



**NEW PRODUCTS
COMING SOON**

- ⦿ **TYRE BALANCERS**
- ⦿ **TYRE CHANGERS**
- ⦿ **METAL BANDSAWS**
- ⦿ **WOODWORKING MACHINES**
- ⦿ **METAL WORKING MACHINERY**
- ⦿ **RADIO CONTROLLED CARS**
- ⦿ **ALUMINIUM LADDERS**
- ⦿ **DIESEL POWERED AIR COMPRESSORS**

PMXSMFC-G402

49CC BILLY CART
2 STROKE

- * Air-cooled engine
- * Maximum speed: 55kmh
- * Tank capacity: 1lt
- * Disc brakes
- * Recoil start
- * Racer handle steering



POWERMAX

PMXXT50GK-2

50CC GO KART
2 SEATER

- * 4 stroke air cooled engine
- * Remote start/stop control
- * Front and rear disk brakes
- * Manual gearbox forward
- * Centrifugal clutch
- * Independent front suspension
- * Electric key start
- * Bench seat
- * 2.5lt fuel tank capacity
- * Maximum speed: 25kmh
- * Gross weight: 72kg



POWERMAX

* Maximum passenger height: 145cm

PMXXT50GK-2A

50CC GO KART
2 SEATER

- * 4 stroke air cooled engine
- * Remote start/stop control
- * Front and rear disk brakes
- * Manual gearbox forward/reverse
- * Centrifugal clutch
- * Independent front suspension
- * Electric key start
- * Moulded racing seats
- * 2.5lt fuel tank capacity
- * Maximum speed: 25kmh
- * Gross weight: 82kg



POWERMAX

* Maximum passenger height: 145cm

PMXGO-KART5

150CC GO KART
1 SEATER

- * 4 stroke air cooled engine
- * Front and rear disk brakes
- * Automatic Constant Variable Transmission
- * Independent front and rear suspension
- * Electric key start
- * 7lt fuel tank capacity
- * Gross weight: 200kg



POWERMAX

PMXGO-KART2

150CC GO KART
2 SEATER

- * 4 stroke air cooled engine
- * Front and rear disk brakes
- * Automatic Constant Variable Transmission
- * Reverse & handbrake
- * Independent front and rear suspension
- * Electric key start
- * 7lt fuel tank capacity
- * Gross weight: 200kg



POWERMAX

PMXXT250GK

250CC GO KART
2 SEATER 4 STROKE

- * 4 stroke air cooled engine
- * Front and rear disk brakes
- * Automatic Constant Variable Transmission
- * Reverse and handbrake
- * Independent front and rear suspension
- * Electric key start
- * 7lt fuel tank capacity
- * Gross weight: 270kg



POWERMAX

TITNG272-1

TRAILER WITH
CLOSING RAMP

Ideal for quad bikes

- * Complete with lights & wiring
- * Australian approved coupling
- * Compliance plate
- * Can be registered for road use



TITAN

PMXHB-SS05

SEA SCOOTER

- * 12v rechargeable battery
- * 4-6 hour battery charge time
- * 20m maximum diving depth
- * Speed: up to 3km/h
- * Carrying capacity: up to 90kg
- * Pump and carry bag included
- * Gross weight: 13.5kg



POWERMAX

RHRRYD99H
150W GOLF TROLLEY

- * 150w motor
- * 12v / 20Ah rechargeable battery
- * 4-6h charge time
- * Maximum speed: 7km/h
- * Maximum distance: 20km
- * Maximum load capacity: 20kg
- * Gross weight: 16kg



RHRRYD99F
150W GOLF TROLLEY

- * 150w motor
- * 12v / 28Ah rechargeable battery
- * 6-8h charge time
- * Maximum speed: 6km/h
- * Maximum distance: 20km
- * Maximum load capacity: 20kg
- * Gross weight: 24kg



RHRRYD199
2X180W GOLF CART
REMOTE CONTROLLED

- * 2 x 180w motor
- * 12v / 28Ah rechargeable battery
- * 6-8h charge time
- * Maximum speed: 6km/h
- * Maximum distance: 20km
- * Maximum load capacity: 50kg
- * Gross weight: 29kg



RHRRYD299
2 PERSON GOLF CAR 3000W

- * 3000w motor
- * 48v / 150Ah rechargeable battery
- * Maximum speed: 30km/h
- * Maximum distance: 20km
- * Forward & reverse




RHRRYD399
2 PERSON GOLF CAR
2200W

- * 2200w motor
- * 6 x 6v / 180Ah rechargeable batteries
- * Maximum distance: 80km
- * Maximum load capacity: 300kg
- * Weight: 430kg



RHRRYD399A
4 PERSON GOLF CAR
2200W

- * 2200w motor
- * 6 x 6v / 180Ah rechargeable batteries
- * Maximum speed: 23km/h
- * Maximum distance: 80km
- * Maximum load capacity: 400kg
- * Weight: 480kg



**NEW PRODUCTS
ARRIVING SOON**

PMXYJ-50A
50CC QUAD BIKE
SEMI-AUTO

POWERMAX

- * Single speed
- * Centrifugal clutch
- * 4 stroke air cooled engine
- * Mono shock rear suspension
- * Rear disc brakes
- * Electric key start
- * 5lt fuel tank capacity
- * Gross weight: 83kg
- * Seat height dimension: 50cm



PMXJBW50ATV
50CC QUAD
MOTORBIKE

POWERMAX

- * Four speed gearbox
- * Centrifugal clutch
- * Electric start
- * Battery included
- * Seat height dimension: 60cm



PMXATV110-1
110CC QUAD BIKE
4 STROKE

POWERMAX

- * Automatic gear
- * Centrifugal clutch
- * 4 stroke air cooled engine
- * Mono shock rear suspension
- * Rear disc brakes
- * Electric key start
- * 5lt fuel tank capacity
- * Gross weight: 103kg
- * Seat height dimension: 70cm



PMXATV150
150CC QUAD BIKE

POWERMAX

- * 3 speed manual transmission (and reverse)
- * 4 stroke air cooled engine
- * Independent hydraulic front suspension
- * Mono shock rear suspension
- * Rear disc brakes
- * Electric key start
- * 7.8lt fuel tank capacity
- * Gross weight: 165kg
- * Seat height dimension: 70cm



PMXATV200-1
200CC QUAD BIKE

POWERMAX

- * 5 speed manual transmission
- * 4 stroke air cooled engine
- * Independent hydraulic front suspension
- * Mono shock rear suspension
- * Rear disc brakes
- * Electric key start
- * 6.6lt fuel tank capacity
- * Gross weight: 180kg
- * Seat height dimension: 70cm



PMXJBW200ATV
200CC QUAD BIKE

POWERMAX

- * 5 speed manual transmission
- * 4 stroke air cooled engine
- * Independent hydraulic front suspension
- * Mono shock rear suspension
- * Rear disc brakes
- * Electric key start
- * 5lt fuel tank capacity
- * Gross weight: 190kg
- * Seat height dimension: 80cm



PMXATV250-1
250CC QUAD BIKE

POWERMAX

- * 4 stroke air cooled engine
- * Twin cylinder
- * Twin independent front and rear hydraulic suspension
- * 5 speed manual including reverse
- * Electric start
- * 11lt fuel tank capacity
- * 150kg maximum load
- * Gross weight: 240kg



POWERMAX

PMXHB-GHS05C
49CC MINI CHOPPER
MOTORBIKE

POWERMAX

- * 4 stroke air cooled engine
- * Hydraulic suspension
- * Electric start and kick start
- * Front and rear disc brakes
- * 4 speed
- * Headlights
- * Twin exhaust
- * 3.5lt fuel tank capacity



PMXHB-GS02
50CC MINI ENDURO
MOTORBIKE

POWERMAX

- * 4 stroke air cooled engine
- * Hydraulic suspension
- * Mono shock rear suspension
- * Kick start
- * 12" tyres
- * Padded handlebars
- * 3.5lt fuel tank capacity
- * Gross weight: 68kg
- * Seat height dimension: 57cm



PMXHB-GS03
49CC MINI ENDURO
TRAILBIKE

POWERMAX

- * 4 stroke air cooled engine
- * Hydraulic suspension
- * Mono shock rear suspension
- * Kick start
- * 14" tyres
- * Padded handlebars
- * 3.5lt fuel tank capacity
- * Gross weight: 68kg
- * Seat height dimension: 64cm



PMXXT110PY-2
110CC MINI ENDURO
TRAILBIKE

POWERMAX

- * 4 stroke air cooled engine
- * Hydraulic suspension
- * Mono shock rear suspension
- * Kick start
- * Padded handlebars
- * 3.5lt fuel tank capacity
- * Gross weight: 85kg
- * Seat height dimension: 73cm



PMXJBW200C
200CC TRAIL
ENDURO MOTORBIKE
4 STROKE

POWERMAX

- * Air cooled engine
- * Front disc brake, rear drum break
- * Electric key start & kick start
- * Headlight (high & low beam)
- * Rear stop light
- * Speedometer
- * Maximum output: 11kw - 8000rpm
- * Seat height dimension: 80cm
- * For off-road use only



**SPARE PARTS
AVAILABLE**

RHRFIR-022L
INFRARED SAUNA ROOM

RHR

- * Suitable for two to three people
- * Made from sturdy Hemlock Fir wood
- * Assembles in only 15 minutes
- * Completely free standing
- * Fresh air accessible through vents
- * Plugs straight into normal 240v outlet
- * Requires no plumbing or wiring

- * Portable
- * Suitable for indoor or outdoor use
- * Digital control panel inside or out
- * Bench seat with ergonomic back rest
- * Comes standard with CD player and reading lamp
- * Sauna measurements:
1100mm x 1000mm x 1750mm



RHRFM230
1HP DUST COLLECTOR



- * 750w motor
- * 100mm inlet diameter
- * Sturdy cloth vacuum bags
- * Gross weight: 30kg



RHRFM300S
3HP DUST COLLECTOR



- * 150mm inlet diameter
- * Includes adaptor to reduce 6" outlet to 3 x 4" inlets
- * Sturdy cloth vacuum bags
- * Gross weight: 64kg



RHRMJ344C
14" BANDSAW ON STAND
1HP GERMAN STYLE



- * 750w motor
- * Maximum thickness: 160mm
- * Blade length: 2400mm
- * Pivoting work table: 0 - 45°
- * Gross weight: 92kg



RHRMJ344C
16" BANDSAW
2HP GERMAN STYLE



- * 1500w motor
- * Maximum thickness: 200mm
- * Blade length: 2950mm
- * Pivoting work table: 0 - 45°
- * Gross weight: 170kg



RHRMM1510
6" X 4" BELT AND DISC
SANDER



- * 375w motor
- * Disc size: 150mm
- * Belt size: 915 x 100mm
- * Disc speed: 1450rpm
- * Disc table tilt: 0 - 45°
- * Belt table tilt: 0 - 90°



RHRMCW900
900MM WOOD LATHE
3/4HP



- * 900mm (36") bed
- * Variable speed
- * 550w motor
- * Spindle speed: 500 -2000 rpm
- * 12" swing over bed
- * #2 head and tailstock taper
- * Easily lockable headstock for accurate adjustments
- * Rotating head for bowl turning
- * Gross weight: 85kg




Includes Stand


RHRDS12
12" DISC SANDER
3/4HP MOTOR



- * Disc size: 12"
- * 550w motor
- * Disc speed: 1450 rpm
- * Table size: 450 x 156mm
- * Gross weight: 36kg



Includes dust bag



FEMA
S · P · A

MADE IN ITALY
TRADE QUALITY WELDERS
MACHINES TO SUIT ALL APPLICATIONS

FEMCOPPERMATE200

200AMP ARC WELDER

- * 200 amp
- * 240V/Single phase/15 amp
- * 1.5mm to 5mm electrode capacity
- * Duty cycle: 25% at 200amp
- * Copper wound transformer
- * Turbo fan cooled
- * Made in Italy



FEMMATE150

130AMP INVERTER WELDER

- * 130 amp
- * 240v/Single phase/10 amp
- * 1.6mm to 3.2mm electrode diameter
- * Welding current range: 5 - 130 amps
- * Duty cycle: 20% at 130 amps
- * TIG & MMA welding in DC mode
- * Turbo fan cooled
- * Made in Italy
- * Gross weight: 5kg



FEMMATE170

150AMP INVERTER WELDER

- * 150 amp
- * 240v/Single phase/15 amp
- * 1.6mm to 4.0mm electrode diameter
- * Welding current range: 5 - 150 amps
- * Duty cycle: 20% at 150 amps
- * TIG & MMA welding in DC mode
- * Turbo fan cooled
- * Made in Italy
- * Gross weight: 5kg



RHRINVERTER 130A

130A INVERTER TIG WELDER

- * 130 amp
- * 240v/Single phase/10amp
- * 1.6mm to 3.2mm electrode diameter
- * Welding current range: 5 - 130 amps
- * Duty cycle: 20% at 130 amps
- * TIG & MMA welding in DC mode
- * Fan cooled
- * Includes TIG torch
- * Net weight: 6.2kg



RHRINVERTER200A

200AMP INVERTER TIG WELDER

- * 200 amp
- * 240v/Single phase/15 amp
- * 1.6mm to 4mm electrode diameter
- * Welding current range: 5 - 200 amps
- * Duty cycle: 20% at 130 amps
- * TIG & MMA welding in DC mode
- * Fan cooled
- * Includes TIG torch



FEMTIG160AC/DC

160AMP AC/DC TIG WELDER

- * 160 amp
- * 240v/Single phase/15 amp
- * 1mm to 2.4mm Tungsten electrode diameter
- * Up to 3.2mm ARC electrodes
- * Welding current range: 6 - 160 amps
- * Duty cycle: 60% at 96 amps
- * Turbo fan cooled
- * AC & DC operating modes
- * Remote control capable



- * Copper wound transformer
- * High frequency start
- * Preweld gas flow time
- * Adjustable hot start
- * Slope down facility
- * Made in Italy
- * Gross weight: 70kg

FEMMIGMATE150

150AMP MIG WELDER
DUAL PURPOSE

- * 150 amp
- * 240v/Single phase
- * Maximum wire capacity
0.8mm solid
0.9mm flux cored
- * Welding current range:
25 - 150 amps
- * Duty cycle: 25% at 75 amps
- * Variable spool size capable:
0.7kg - 5kg
- * Turbo fan cooled
- * Made in Italy



FEMCOPPERMATE170

170AMP MIG WELDER
DUAL PURPOSE

- * 170 amp
- * 240v/Single phase/15amp
- * 0.6mm to 0.9mm wire diameter
- * Welding current range:
25 - 170 amps
- * Duty cycle: 25% at 150 amps
- * Variable spool size capable:
0.7kg - 5kg
- * Turbo fan cooled
- * Copper transformer
- * Made in Italy



FEMTOPMIG195

195AMP MIG WELDER
DUAL PURPOSE

- * 195 amp
- * 240v/Single phase
- * 0.6mm to 0.9mm wire diameter
- * Welding current range:
25 - 195 amps
- * Duty cycle: 10% at 195 amps
- * Variable spool size capable:
5kg - 15kg
- * Turbo fan cooled
- * Made in Italy



FEMMIG300IND

300AMP MIG WELDER
DUAL PURPOSE

- * 300 amp
- * 240v/Single phase/15 amp
- * 0.6mm to 1.2mm wire diameter
- * Welding current range:
25 - 300 amps in four steps
- * Duty cycle: 60% at 196 amps
- * Variable spool size capable: 5kg - 15kg
- * Turbo fan cooled

- * Digital volt/amperes read out
- * Adjustable spot/stitch timer
- * Adjustable burnback delay
- * 2T & 4T welding
- * Dual inductance
- * Gas bottle platform (with securing chain)
- * Includes 3m torch mask, earth lead and regulator
- * Made in Italy
- * Gross weight: 110kg



FEMM1

SPOTMATIC 2KVA SPOT
WELDER




- * Maximum material thickness
2mm + 2mm
with standard 125mm arms
- * 2kva at 50%
- * 11kva maximum welding power
- * 700 amp short circuit
- * Includes electrode sharpener
- * Gross weight: 11kg

Thickness mm	Spot/Hour	Time
0.8 + 0.8	380	0.15 secs
1 + 1	280	0.35 secs
1.5 + 1.5	120	0.8 secs
2 + 2	60	1.25 secs

FEMM22

SPOTMATIC 2KVA SPOT
WELDER WITH TIMER



RHRDN16

16KVA PEDESTAL SPOT
WELDER

- * 16 KVA
- * 415v/Three phase
- * Maximum welding capacity:
0.5 + 0.5mm to 2.5 + 2.5 mm (mild steel sheet)
- * Adjustable throat: 150mm to 300mm
- * General purpose arms complete with electrode holders

- * Water cooled electrode holders
- * Digital readout
- * Gross weight: 95kg



RHRDN25

25KVA PEDESTAL SPOT WELDER

- * 25 KVA
- * 415v/Three phase
- * Maximum welding capacity:
1 + 1 mm to 3 + 3 mm (mild steel sheet)
- * Adjustable throat: 150mm to 300mm
- * General purpose arms complete with electrode holders

- * Water cooled electrode holders
- * Digital readout
- * Gross weight: 102kg



FEMPP15

15KVA SPOT WELDER

- * 15 KVA
- * 415v/Two phase
- * Operating pressure: 3 - 9 bar
- * Maximum welding capacity:
3 + 3mm (mild steel sheet)
9 + 9mm (mild steel rod)
- * Electro-pneumatic operation of foot pedal control
- * Adjustable throat: 120mm to 450mm

- * Full electronic control system with adjustable squeeze, current time, welding time, hold time and pause time
- * Digital readout
- * Tips water-cooled capable
- * Complete with air pressure regulator
- * Made in Italy
- * Gross weight: 153kg



FEMMPP25

25KVA SPOT WELDER

- * 25 KVA
- * 400v/Two phase
- * Operating pressure: 3 - 9 bar
- * Maximum welding capacity:
5 + 5mm (mild steel sheet)
15 + 15mm (mild steel rod)
- * 500mm arm length
- * Electro-pneumatic operation of foot pedal control
- * Adjustable throat: 120mm to 450mm

- * Full electronic control system with adjustable squeeze, current time, welding time, hold time and pause time
- * Digital readout
- * Tips water-cooled capable
- * Complete with air pressure regulator
- * Made in Italy
- * Gross weight: 230kg



FEMSPOTMATE3000

415V SPOT WELDER

Extremely versatile, Spotmate 3000 is the ideal machine for car body repairs with digital control by microprocessor and the start through the cycle of welding.

The unit is delivered complete with:

- multifunction gun and earth with cables 2000mm length
- mains cable 4 mt
- extractor hammer
- set and consumables for the car body repairs
- it allows the welding of washers, star washers and wire

- * 415v / Three phase
- * 500 - 2800 amp
- * Adjustable welding time
- * Made in Italy
- * Net weight: 17kg



FEMSPOMATE6000 415V SPOT WELDER



Extremely versatile, Spotmate 6000 is the ideal machine for car body repairs. Equipped with digital control by microprocessor, the Spotmate 6000 allows:

- * One sided spotwelding by spotwelding gun (single electrodes); patching function; sheet tempering function; point heat shrinking.

- * With the use of hammer: washer coupling and pull - nail coupling and pull - simultaneous spot weld and pull special washers. Two sides pneumatic spot gun.
- * 415v / 3 phase / 16 amp
- * 500-3500 amps
- * Features: adjustable spot time, current, manual mode, pulse mode, single shot mode & pneumatic plier mode
- * Comes standard with slide hammer and accessories kit
- * Made in Italy
- * Net weight: 26kg



* Optional extras: trolley, spot gun & earth lead, pneumatic spot gun

FEMSPOMATE9000 415V SPOT WELDER



The high-tech Spotmate 9000 is particularly suitable for car body repairs and allow:

- One sided spotwelding by spotwelding gun
- Two sides spotwelding by pneumatic spot gun
- Programmable welding parameters
- Sheet tempering
- Point heat shrinking
- Patching
- Spot weld of screw, nails, washers, etc
- With the use of Hammer: washer coupling and pull, nail coupling and pull, simultaneous spot weld and pull with special washers.

- * 415v / 3 phase / 20 amp
- * 500 - 6500 amps
- * Features: adjustable spot time, current, manual mode, pulse mode, single shot mode & pneumatic plier mode
- * Comes standard with slide hammer and accessories kit
- * Made in Italy
- * Net weight: 53kg



* Optional extras: trolley, spot gun & earth lead, pneumatic spot gun

TITWCK24P WELDING AND CUTTING KIT



Ideal for welding and brazing tube, pipe, sheet and steel

- Includes:
- * Cutting attachment
 - * Torch handle
 - * Mixer
 - * Oxygen regulator
 - * Acetylene regulator
 - * 5m twin hose assembly
 - * Accessories



FEMSPOTMATETROLLEY FEMA SPOTMATE TROLLEY



FEMPNEUMATICGUN PNEUMATIC SPOT GUN WITH CABLE



To suit Spotmate 6000 and 9000 welders

- * Copper arms
- * 2m leads



FEMSPOTGUN SPOT GUN WITH LEAD



To suit Spotmate 6000 and 9000 welders



ACN 055 190 755
ABN 61 055 190 755
PO Box 4440
Dandenong Vic 3164

Application for Commercial Credit

Name of Applicant(s) A.C.N

Trading Name A.B.N

Structure: (Please tick) Public Company [] Proprietary Company [] Partnership []
Sole Trader [] Others []

Date Business Commenced/...../..... Business registration no.

Main Business Activity Number of employees

Postal Address Postcode

Business Address Postcode

Telephone No. () Fax No. ().....

Web Address email address

Accounts Payable Contact Purchasing Contact

Details of: (Please tick) Directors [] Partners [] Sole Trader []

Name in full Date of Birth

Position/Occupation Licence No.....

Residential Address Owned [] Buying [] Renting []
..... Postcode

Name in full Date of Birth

Position/Occupation Licence No.

Residential Address Owned [] Buying [] Renting []
..... Postcode

Name in full Date of Birth

Position/Occupation Licence No.

Residential Address Owned [] Buying [] Renting []
..... Postcode

Trade References:

1..... Phone: ().....

2..... Phone: ().....

3..... Phone: ().....

Anticipated Monthly Purchases \$.....

Declaration

Please read and sign

In consideration of this Application for Credit being approved I/We hereby declare and agree as follows:

Truth

The information given is true in all respects.

Changes

(b) I/We will promptly advise you in writing of any proposed and actual changes to the business

Payment

(c) The account will be paid within 30 days from the end of the month of purchase.

Expenses

(d) I/We will pay any expenses, costs or disbursements incurred by you in recovering any outstanding monies including debt collection agent fees and solicitors costs as an additional to our account.

Default

(e) It is agreed that Universal Wholesale Distributors Pty Ltd shall retain full right, title and interest to any goods supplied pursuant to this application until payment in full of the relevant account and Universal Wholesale Distributors Pty Ltd shall be entitled to take any legally permissible action to recover such goods until that event.

Guarantee and Indemnity

(f) In the event that the customer is a company, then each director of the company whose signature appears hereon, hereby acknowledges and covenants that such director guarantees to Universal Wholesale Distributors Pty Ltd the payment to it of any monies outstanding to it at any time hereafter. It is agreed that such directors shall not be released as a result of any subsequent events without Universal Wholesale Distributors Pty Ltd's written consent, and such directors hereby indemnify Universal Wholesale Distributors Pty Ltd in regards to payment of any and all such monies as may be owing to Universal Wholesale Distributors Pty Ltd by the company.

Privacy Act

(g) Permission is hereby granted to Universal Wholesale Distributors Pty Ltd before, during and or after the provision of credit, to give information about the applicant to a Credit Reporting Agency in accordance with the Privacy Act, 1988.

(h) Universal Wholesale Distributors Pty Ltd is hereby authorised to give and receive from other credit providers information about my/our personal and/or commercial credit arrangements for the purposes of assessing this application and providing credit references in accordance with the Privacy Act, 1988.

This account will be subject to Universal Wholesale Distributors Pty Ltd Terms and Conditions of Sale.

Signature..... Date.....
.....

Please print name

Signature..... Date.....
.....

Please print name

Signature..... Date.....
.....

Please print name

Signature..... Date.....
.....

Please print name

FOR OFFICE USE ONLY

Territory No.....Salesperson NameTrade Code.....Tax Code

Universal Wholesale Distributors



ABN: 61055190755

**19 QUALITY DRIVE
DANDENONG SOUTH
VIC 3175**

**PO BOX 4440
DANDENONG SOUTH
VIC 3164**

PHONE: (03) 9768 3371

FAX: (03) 9768 3372

**www.uwd.com.au
sales@uwd.com.au**